## A COMPARISON OF THEORY AND FLIGHT TEST OF THE BO 105/BMR IN HOVER AND FORWARD FLIGHT

Paul H. Mirick
Aerospace Engineer
U.S. Army Aerostructures Directorate
Hampton, Virginia

57-05 156194 13P

N88-27155

## Abstract

Four cases were selected for comparison with theoretical predictions using stability data obtained during the flight test of the Bearingless Main Rotor (BMR) on a Messerschmidt-Boelkow-Blohm BO 105 helicopter. The four cases selected from the flight test include two ground resonance cases and two air resonance cases. The BMR used four modified BO 105 blades attached to a bearingless hub. The hub consisted of dual fiberglass C-channel beams attached to the hub center at 0.0238R and attached to the blade root at 0.25R with blade pitch control provided by a torque tube. Analyses from Bell Helicopter Textron, Boeing Vertol, and Sikorsky Aircraft were compared with the data and the correlation ranged from very poor-to-poor to poor-to-fair.

#### Introduction

As part of the Methodology Assessment, four cases were selected from the flight test reported in Ref. 1 for a comparison with theoretical predictions. The test reported in Ref. 1 was conducted by the Boeing Vertol Company as part of the U.S. Army Applied Technology Laboratory program to design, fabricate, and demonstrate by flight test, the feasibility of the Bearingless Main Rotor (BMR). The flight testing included investigation of ground resonance characteristics on both concrete and turf surfaces as well as air resonance characteristics in hover, forward flight, rearward flight, sideward flight, and climbs and descents. From the extensive stability data obtained during the BMR flight test program, two ground resonance and two air resonance cases were selected for comparison with theoretical predictions. The two ground resonance cases were selected with different landing gear configurations as this affected the body frequency and, hence, the aeromechanical stability. One air resonance case was selected with airspeed as the independent variable, and the second was selected with climb rate (inflow) as the independent variable.

The theoretical models compared with the data included the Bell Helicopter DRAV21 and C81 analyses, the Boeing Vertol C-90 code, and the Sikorsky E927-3 analysis for the hover cases. Neither Hughes Helicopters nor the U.S. Army Aeromechanics Laboratory modeled these cases.

This paper briefly describes the tests from which the data were obtained and presents the correlation. Conclusions as to the quality of the  $\,$ 

agreement between theory and test are presented. Appendices are provided that document the test aircraft and rotor system properties, tabulate the experimental data points, and show all of the correlations.

## Flight-Test Program

A Messerschmidt-Boelkow-Blohm BO 105 helicopter flight-test program with a Bearingless Main Rotor (BMR) installed was conducted by Boeing Vertol as part of the U.S. Army Applied Technology Laboratory program to design, fabricate, and demonstrate by flight test the feasibility of the BMR. Testing included the determination of ground resonance characteristics on both concrete and turf landing surfaces, as well as the determination of air resonance characteristics in hover, forward flight, rearward flight, sideward flight, climb, and descent. Flight loads, flying qualities, and vibration surveys were also conducted as part of this test. The results from this test provided a data base for the methodology assessment, which allowed a comparison of computer code predictions with actual flight test data.

## Test Vehicle Description

The BMR installed on the BO 105 is shown in Fig. 1. The blades are modified BO 105 blades attached to a set of dual fiberglass beams at 0.25R with the beam roots attached at 0.0238R to a metal hup-plate set. All the geometric parameters of the





Fig. 1 BMR installed on BO 105.

individual beams, such as width, height, flange and web thickness, and spacing between the beams, vary along the length. The fiberglass beams permit flapwise bending, chordwise bending, and full torsional travel. The flap, chord, and torsional frequencies of the rotor were designed to be approximately the same as those of the BO 105 rotor system. Blade pitch is controlled by a filament-wound graphite torque tube. The outboard end of the torque tube is cantilevered at the blade-to-beam joint and supported at its inboard end by a rod end bearing. The fiberglass beams have a C-channel cross section. Detailed rotor characteristics are given in Appendix A.

The BMR hub was attached to the rotor shaft of the BO 105 helicopter through the same hole pattern as the standard hub. Because of the difference in the pitch arm attachment locations, new pitch links were fabricated. Initial ground resonance testing showed an unacceptable level of damping and, as a result, the landing gear was modified by adding two cables stretched between the left- and right-side skids as shown in Fig. 2. This resulted in an increase in the aircraft pitch and longitudinal mode frequencies and raised the critical rotor speed for ground resonance.



**VIEW FROM REAR (TYPICAL EACH BOW)** 




Fig. 2 Stiffening modification for BO 105 landing gear.

### Test Procedure

To obtain ground or air resonance data, the aircraft was trimmed at the desired test condition. The pilot would then excite the air or ground resonance mode by moving the cyclic stick in a whirling motion at a predetermined frequency using 5% of total stick amplitude. After about eight cycles, the excitation was stopped and the blade chordwise modal decay was analyzed to determine the damping characteristics.

Two methods were used to determine air or ground resonance damping from the test data. The first method obtained the damping from the loga-

rithmic decrement of the decay envelope as faired by hand. The second method used a computerized moving-block method to determine damping. Results obtained using both methods are contained in Ref. 1.

## Test Results

Detailed results for the BMR flight tests are contained in Volumes 1 and 2 of Ref. 1 and a summary of results is contained in Ref. 2. Ground resonance data were obtained for the aircraft on concrete commencing at 75% NR with flat pitch and incrementally building up to and including 95%  $N_R$ . Takeoffs were made at 95%  $N_R$  and landings were made on a concrete surface at rotor speeds of 95, 97.5, 100, and 102%  $N_R$ . Trimmed conditions were established at several settings between touchdown collective pitch and flat pitch. Pilot cyclic stick excitation was introduced at the appropriate frequency at each of these collective pitch settings and damping was computed from the decay of the chord bending after cyclic pitch excitation was stopped. Damping results were stable for 95, 97.5, and 100%  $N_R$  for touchdown collective pitch to flat pitch. Damping generally decreased with collective pitch, but showed a dip at a collective pitch between the touchdown and flat pitch values. This dip was different for each rotor speed. At 102%  $N_R$ , the trend below 25% collective pitch indicated a possible instability at about 15%; therefore, the test was cut off at 17% collective pitch. A possible degradation of the ground resonance mode damping was anticipated for landings on a turf surface because of the expected reduction of the body longitudinal-pitch frequency. Testing on turf was performed at 95%  $N_{\rm R}$ . The damping trend indicated a possible instability at a collective pitch of about 22% and, therefore, the test was stopped at 28% NR. To avoid this potential instability, the landing gear was stiffened by installing a wire cable between the skids (as has been shown in Fig. 2), and the ground resonance testing was repeated. Later analysis and aircraft shake testing showed that the predominant mode at the critical frequency on the ground had more longitudinal motion than pitch motion. A comparison of damping obtained for the 102%  $N_{\mathrm{R}}$  case on concrete is shown in Fig. 3. Tests were then conducted on a turf surface once an acceptable damping level was demonstrated on a concrete surface.

Forward-flight testing was performed out to  $V_{\rm H}$  of 109 knots for level flight and 135 knots in a maximum power descent once adequate rotor stability was demonstrated in hover and on the ground. Forward flight stability testing also included aircraft climbs/descents and autorotations.

## Selection of Test Cases

Two ground resonance and two air resonance cases were selected for comparison with predictions. The first ground resonance case selected,




Fig. 3 BMR ground-resonance damping on concrete.

Case 1, was the BO 105/BMR on concrete, with standard gear and rotor operating at 102% of normal rotor speed. This case was selected because of the reduced stability at low collective pitch angle. The other ground resonance case selected, Case 2, was for the same conditions, but with the stiffened landing gear. The first air resonance condition selected, Case 3, was for the airspeeds from hover to 109 knots. This provided an assessment of the predictions over the full range of airspeeds. Case 4 examined the aeromechanical stability at an airspeed of 50 knots for a collective range of 0 to 6%. This case included the lowest damping that was encountered in forward flight.

## Correlation

The ground resonance cases in hover were modeled by Bell Helicopter Textron with the DRAV21 analysis; Boeing Vertol used the C-90 analysis and Sikorsky used the E927-3 code. For the forward-flight air resonance cases Bell Helicopter Textron used C81 and Boeing Vertol used C-90 again. Sikorsky did not model the forward flight cases.

The comparison of the predicted and measured regressing lead-lag mode damping as a function of collective pitch is shown in Figs. 4 and 5 for the ground resonance cases. One difficult aspect of predicting ground resonance is that the aircraft body frequencies vary as the rotor thrust increases and the aircraft lifts off the ground. Bell Helicopter Textron estimated the variation of body pitch frequency with collective pitch from the known frequencies at flat pitch on the ground (3.08 Hz) and in hover (1.0 Hz). They assumed that at 7% indicated collective pitch that the body pitch frequency crossed over the lead-lag regressing mode. A curve for body frequency as a function of indicated collective pitch was generated using these values. For the cases with the stiffened landing gear, a body frequency of 3.28 Hz was used at flat pitch; 1.0 Hz for hover; and the coalescence was assumed at 32% indicated collective. A comparison of the DRAV21 results with the test data for the two ground resonance cases (Figs. 4 and 5)




Fig. 4 Regressing lead-lag mode damping as a function of collective pitch; 102%  $N_{\rm R}$ , standard gear, concrete surface.




Fig. 5 Regressing lead-lag mode damping as a function of collective pitch; 102%  $\rm N_{\rm R},$  stiffened gear, concrete surface.

shows that the analytical results follow the trend of the test data, but underpredict the level of damping. The correlation for both of these cases was judged to be poor-to-fair.

Boeing Vertol assumed that for the standard gear that either the landing-gear spring rate or the body mode frequency varied linearly with thrust; both predictions are shown in Fig. 4. For the stiffened gear, Boeing used only the linear spring rate. Both the linear frequency and the linear spring rate assumptions show two areas of instability for Case 1: a roll-lateral mode and a pitch-longitudinal mode. The first unstable region, the pitch-longitudinal mode, occurs at approximately the same collective setting at which the test data showed a large decrease in damping. The correlation for both cases is considered very poor-to-poor.

Sikorsky modeled the two ground resonance cases using the E927-3 analysis. The analysis overpredicts the damping level for all collective pitch angles except 0° in the stiffened gear case. No effect of a change in body mode frequency is observed in these predictions as the collective pitch is changed. The correlation is judged to be very poor-to-poor for both cases.

The two air resonance cases were modeled by Bell Helicopter Textron and Boeing Vertol. The data and the predictions for the two cases are compared in Figs. 6 and 7. The first air resonance case, Case 3, shows the regressing lead-lag mode damping as a function of airspeed. The C81 analysis shows a minimum in the damping at about 70 knots which is higher than the 40-knot minimum that is seen in the data. The damping level is considerably underpredicted so overall the correlation is considered to be poor-to-fair. The Boeing Vertol C-90 prediction shows the minimum in the damping at about 60 knots which is, again, higher than the minimum indicated by the data. The damping level prediction is better than seen for the C81 analysis so overall the correlation is judged fair.




Fig. 6 Regressing lead-lag mode damping as a funcof airspeed.




Fig. 7 Regressing lead-lag mode damping as a function of collective pitch at  $50\ \text{knots}$ .

The second air resonance case, Case 4, shown in Fig. 7, plots the regressing lead-lag mode damping as a function of indicated collective pitch as the aircraft is flown at climb and descent trimpoints at 50 knots. The Bell Helicopter Textron C81 analysis shows the trend with collective pitch correctly, but the damping level is underpredicted. The correlation is judged to be poor-to-fair. The Boeing Vertol C-90 code also predicts the correct trend with collective pitch, but over-predicts the level of damping. The correlation is considered fair.

## Conclusions

Four analyses were compared with one or more cases from a flight test of the BMR on a BO 105 helicopter that measured the lead-lag regressing mode frequency and damping. The four cases selected from the flight test included two ground-resonance cases and two air-resonance cases. Based on a comparison of the analyses and the experimental data, the following conclusions were reached.

- 1. The DRAV21 analysis used by Bell Helicopter Textron for the ground resonance cases gave poor-to-fair correlation. The C81 analysis used for the air resonance cases also gave poor-to-fair correlation.
- 2. The C-90 analysis used by Boeing Vertol gave very poor-to-poor correlation for the ground resonance cases and fair correlation for the air resonance cases.
- 3. The E927-3 analysis used by Sikorsky for the two ground resonance cases gave very poor-to-poor correlation.

## References

<sup>1</sup>Staley, James A. and Reed, Donald A., "Aeroelastic Stability and Vibration Characteristics of a Bearingless Main Rotor," Boeing Vertol Company Report D210-11498-1, June 1979. <sup>2</sup>Dixon, Peter G. C., "Design Development, and Flight Demonstration of the Loads and Stability Characteristics of a Bearingless Main Rotor," USAAVRADCOM TR-80-D-3, June 1980.

## Appendix A - Test Aircraft Properties

The four cases examined in this paper are from a flight test program originally reported in Refs. 1 and 2. The experimental properties in this appendix are taken from those references.

## Rotor Description

The Bearingless Main Rotor (BMR) system is compatible in physical, dynamic and static characteristics to the current BO 105 rotor system. The BMR has no pitch bearing and no flapping or leadlag hinges; it uses a flexible hub construction to accommodate control-system pitch inputs and normal flapping motion. The BMR assembly is shown in Fig. 8.





Fig. 8 BMR blade and hub arrangement.

The rotor blades used for the BMR are essentially standard BO 105 main rotor blades from the 70-in. blade station to the tip (blade station 193.37 in.). The inboard end was redesigned to replace the conventional swan-neck and single-pin wraparound retention with a double-pin wrap concept on the blade at a blade station of 52.36 in. The blades are attached to the beam flexure through a titanium clevis such that the beam is untwisted when the blade chord line at 0.70R is at a pitch angle of 9.55°. The flexbeam chord axis is at a pitch angle of 12.5° with respect to the hub. The outboard two-pin attachment of the beam to the clevis is at blade station 4.6 in. To improve the aeroelastic stability characteristics, the blade is preconed by 2.5° at the beam-to-blade clevis. The rotor blade has a constant NACA 23012 airfoil distribution and a 10.63-in. chord. The geometric twist for the blade and a comparison of the BMR

blade planform with the BO 105 blade are given in Fig. 9. The spanwise mass moment can be fine-tuned with the changeable-tip weight system. The second flap and chord frequencies can be fine-tuned by adding weight to a cavity in the blade at approximately the 50% radial station. Up to four pounds






Fig. 9 BMR and BO 105 rotor blade planform and geometric twist.

of tungsten can be accommodated. Leading edge erosion protection is retained by including the standard BO 105 titanium leading-edge segments. The blade and clevis properties are summarized in Table 1.

Blade pitch-control motion is transmitted from the standard pitch link through a pitch arm attached to a filament-wound graphite torque tube. The torque tube is rigidly attached to the blade clevis at the outboard end and supported in a spherical bearing inboard.

The fiberglass beams which accommodate the flapping and lead-lag motion have a C-channel cross section, with the geometric parameters of spacing between the beams varying over the length of the beam. Data for the beams are given in Table 2. The two beams are separated by a gap to provide space for the pitch-control torque tube and are joined at the inboard and outboard ends by steelplate shear ties. A loop at both the inboard and outboard upper and lower flange ends provides a continuous fiber load-path to retain the attached blade against centrifugal force, flap and chordwise loads. Steel bushings inside each loop provide a shear tie reinforcement between the upper and lower flanges and protect the attachment pins from the fibrous composite material. Stress concentrations in the inboard fiber wrap are relieved by an additional web-wrap reinforcement between the upper and lower flanges. The internal and external crossply

wraps provide a shear connection between the upper and lower flanges together with the required shear reinforcement to the unidirectional material. A steel hub plate accommodates the beam-to-shaft attachment and provides a prepitch angle of 12.5°. The flap-lag coupling which results from this feature improves the aeroelastic stability characteristics of the rotor system.

#### Aircraft Characteristics

The test aircraft used was a standard Messerschmidt-Boelkow-Blohm BO 105 helicopter with some minor modifications. Because the torisonal rigidity of the BMR beam flexures was greater than the BO 105 (141 in.-lb/deg versus 45 in.-lb/deg), the control loads were expected to be higher. In order to offset these higher control loads and provide a greater control margin, it was necessary to increase the hydraulic boost pressure from 1500 to 2000 psi. Another modification required

was to fabricate shorter pitch links to accommodate the difference in the pitch arm attachment location of the BMR and the standard BO 105 rotor. A third modification was made to the aircraft when the preliminary ground resonance flight tests showed the need for stiffening the landing gear in order to increase the critical rotor speed for ground resonance.

The BO 105 properties needed to model the aircraft in the Boeing Vertol C-45 math model are summarized in Table 3. The C-45 model was used to compute the air and ground resonance characteristics for the BO 105. The sources of this data include test results, physical measurements, and computed results. A representation of the C-45 model is shown in Fig. 10. It should be realized that in determining the fuselage inertias, the C-45 model breaks the fuselage inertia into three components: fuselage, pylon, and tail. Each individual inertia is defined about its own c.g. so a calculation of complete inertia requires the appropriate transformation and summation of inertia. The rotor mass is not included in these computations.

Table 1 Blade and Clevis Properties

R, in.	r/R	Wt/in., lb/in.	EI-Flap, EI <sub>f</sub> , 10 <sup>6</sup> lb/in. <sup>2</sup>	EI-Chord, EI <sub>c</sub> , 10 <sup>6</sup> lb/in. <sup>2</sup>	Torsional Stiffness, GK, 10 <sup>6</sup> lb/in. <sup>2</sup>
193.37	1.0	0.71	2.38	59.4	1.36
192.02	0.993	0.71	2.38	59.4	1.36
192.02	0.993	0.511	2.38	59.4	1.36
188.92	0.997	0.511	2.38	59.4	1.36
186,99	0.967	0.32	2.38	59.4	1.36
153.92	0.796	0.32	2.38	59.4	1.36
153.92	0.796	0.309	2.38	59.4	1.36
97.65	0.505	0.309	2.38	59.4	1.36
97.65	0.505	1.447	2.38	59.4	1.36
95.72	0.495	1.447	2.38	59.4	1.36
95.72	0.495	0.309	2.38	59.4	1.36
87.79	0.454	0.309	2.38	59.4	1.36
81.99	0.424	0.309	2.38	59.4	1.55
76.19	0.394	0.372	3.39	56.71	1.74
66.52	0.344	0.4762	5.084	52.21	3.02
62.85	0.325	0.5159	5.725	50.51	3.80
59.94	0.304	0.5474	6.234	49.16	4.07
53.95	0.279	0.6121	7.281	46.375	4.10
53.95	0.279	2.573	82.28	68.375	5.10
52.0	0.269	2.573	157.28	266.375	5.77
50.4	0.2607	2.573	164.4	291.38	6.32
50.4	0.2607	1.3725	164.4	521.38	41.13
49.75	0.2573	1.359	167.28	566.95	41.13

Table 2 Physical Properties of Dual Flexbeam

R, Width W, Height H, $t_{Flange} t_{f}, t_{Web} t_{w}, EI_{f}, I_{f}, I_{flang}, I_{fl$	-	<del></del>								
# 4.6	R,	Width W,	Height H,	t <sub>Flange</sub>	t <sub>f</sub> , t <sub>w</sub>	eb <sup>t</sup> w,	ΕΙ <sub>Γ</sub> ,	Ι <sub>f</sub> ,	ΕΙ <sub>ο</sub> ,	I <sub>e</sub> ,
5.3 2.770 3.526 1.156 2.718 98.8550 20.223 392.3630 74.521 6.3 2.600 3.526 1.092 2.336 92.0356 18.593 350.1850 63.489 8.3 2.280 3.055 0.895 1.651 60.0551 10.617 235.5785 40.144 10.3 1.960 2.583 0.699 1.056 30.9167 19.5626 31.5945 104.713 235.5785 40.144 10.3 1.960 2.2182 0.516 0.699 1.056 30.9167 19.7526 31.794 104.713 15.958 14.3 1.650 2.2182 0.516 0.469 16.6151 2.673 79.639 12.388 16.3 1.650 2.1608 0.439 0.359 14.2379 2.320 60.083 10.361 18.3 1.650 2.00460 0.337 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.400 8.9609 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.400 8.9609 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.400 8.9609 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.400 8.9609 1.722 46.904 24.3 1.650 1.9886 0.311 0.400 8.9609 1.723 46.903 7.614 28.3 1.650 1.7878 0.286 0.126 7.2890 1.249 38.041 6.338 26.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.041 6.349 28.3 1.650 1.7017 0.286 0.126 6.2735 1.072 37.935 6.336 28.3 1.650 1.7017 0.286 0.126 6.2735 1.072 37.935 6.332 29.3 1.650 1.5649 0.286 0.126 6.2735 1.072 37.935 6.332 29.3 1.650 1.5649 0.286 0.126 6.2735 1.072 37.935 6.332 29.3 1.650 1.5649 0.286 0.126 5.7959 0.989 37.896 6.309 38.3 1.650 1.5649 0.286 0.126 5.7959 0.999 37.896 6.302 38.3 1.650 1.5649 0.286 0.126 5.3359 0.999 37.896 6.309 38.3 1.650 1.5649 0.286 0.126 5.3359 0.999 37.896 6.302 38.3 1.650 1.5649 0.286 0.126 5.3359 0.999 37.896 6.302 38.3 1.650 1.5649 0.286 0.126 5.3359 0.999 37.896 6.302 38.3 1.650 1.5649 0.286 0.126 5.3359 0.999 37.896 6.302 38.3 1.650 1.5649 0.286 0.126 5.3359 0.999 37.896 6.302 38.3 1.650 1.5649 0.286 0.126 5.3536 0.999 37.897 6.286 38.3 1.650 1.5649 0.286 0.126 3.3793 0.675 37.729 6.282 38.3 1.740 1.6647 0.304 0.126 7.7065 1.362 71.233 71.729 6.282 38.3 1.740 1.6647 0.306 0.126 5.3979 1.009 43.986 77.241 44.3 1.920 1.6970 0.410 0.126 5.3979 1.009 43.986 77.241 44.3 1.920 1.6970 0.410 0.126 5.3979 1.009 43.986 77.241 45.3 1.907 3.308 5.5554 0.2966 0.126 3.3793 5.746 3.488 157.90 38.3 1.3097 6.33.895 5.5540 0.9060 0.1060 0.108 4.224 3.224 7.73 3.180 5.908	in.	in.	in.	in.	,	in.	10 <sup>6</sup> lb/in. <sup>2</sup>	$1b_{m} \cdot in.^{2}$	10 <sup>6</sup> lb/in. <sup>2</sup>	lb <sub>m</sub> ·in. <sup>2</sup>
5.3 2.770 3.526 1.156 2.718 98.8550 20.223 392.3630 74.551 6.3 2.600 3.526 1.0902 2.336 92.0356 18.593 350.1850 63.189 8.3 2.280 3.055 0.895 1.651 60.0551 10.617 235.5755 40.144 10.3 1.960 2.583 0.699 1.056 30.9167 5.379 151.0927 24.290 12.3 1.720 2.2756 0.593 0.676 19.5626 3.1545 104.713 15.958 14.3 1.650 2.1608 0.439 0.359 14.2379 2.320 60.083 10.361 18.3 1.650 2.1034 0.362 0.516 11.7275 1.949 52.548 8.401 18.3 1.650 2.01034 0.362 0.256 11.7275 1.949 52.548 8.401 20.3 1.650 2.0460 0.337 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9818 0.286 0.126 7.6557 1.313 38.041 6.349 28.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.041 6.349 28.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.041 6.349 28.3 1.650 1.5759 0.286 0.126 6.7715 1.159 37.975 6.336 32.3 1.650 1.7017 0.286 0.126 6.7735 1.072 37.935 32.3 1.650 1.560 1.5649 0.286 0.126 6.7735 1.072 37.935 32.3 1.650 1.560 1.5609 0.286 0.126 6.7735 1.072 37.935 32.3 1.650 1.560 1.5609 0.286 0.126 6.7735 1.072 37.935 32.3 1.650 1.5799 0.286 0.126 6.7735 1.072 37.935 32.3 1.650 1.5609 0.286 0.126 6.7735 1.072 37.935 32.3 1.650 1.5609 0.286 0.126 5.7959 0.989 37.896 6.399 32.3 1.650 1.5609 0.286 0.126 5.7959 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.3369 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.3359 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.3359 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.3359 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.3359 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.3359 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 5.7959 0.999 37.896 6.390 32.3 1.650 1.5609 0.286 0.126 3.3793 0.675 37.729 6.252 32.3 1.800 1.5707 0.286 0.126 5.7959 0.999 37.896 6.390 32.3 1.650 1.5970 0.286 0.126 5.7959 0.999 37.896 6.390 32.3 1.650 1.5970 0.286 0.126 5.7959 0.999 37.896 6.390 32.3 1.790 0.3909	4.6	2.875	3.526	1.20	)1 1	.250	58.1600	15.992	380.8900	44.351
6.3 2.600 3.526 1.092 2.336 92.0356 18.503 350.1850 63.489 8.3 2.280 3.055 0.899 1.656 160.0551 10.617 235.5785 40.144 10.3 1.960 2.583 0.699 1.056 30.9167 5.379 151.0927 24.290 12.3 1.720 2.2756 0.593 0.676 19.5626 31.545 10.4713 15.958 14.3 1.650 2.2182 0.516 0.469 16.6151 2.673 79.639 12.358 16.3 1.650 2.1034 0.362 0.256 11.7275 1.999 52.594 8.401 20.3 1.650 2.1034 0.362 0.256 11.7275 1.999 52.594 8.401 20.3 1.650 2.1034 0.362 0.256 11.7275 1.999 52.594 8.401 20.3 1.650 1.9866 0.317 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9866 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9312 0.286 0.126 7.6557 1.313 38.041 6.358 24.3 1.650 1.8738 0.286 0.126 7.2890 1.299 38.014 6.398 26.3 1.650 1.8164 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.8164 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.61443 0.286 0.126 6.7755 1.072 37.935 6.332 23. 1.650 1.6443 0.286 0.126 5.3369 0.999 37.896 6.332 34.3 1.650 1.6443 0.286 0.126 5.7759 0.999 37.896 6.332 34.3 1.650 1.590 0.286 0.126 5.3369 0.999 37.897 6.294 38.3 1.650 1.590 0.286 0.126 4.8974 0.833 37.818 EC <sub>w</sub> 10.6483 0.286 0.126 4.8974 0.833 37.818 EC <sub>w</sub> 10.6483 0.286 0.126 5.3759 0.999 37.897 6.294 38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 EC <sub>w</sub> 10.6483 0.286 0.126 5.3369 0.999 37.897 6.294 44.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 EC <sub>w</sub> 10.6483 0.500 0.575 2.150 12.8540 2.269 135.6900 28.659  44.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 6.282 38.3 1.650 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659  45.5 3 36.241 81.147 1.408 2.266 0.126 5.5799 1.009 37.857 6.296 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659	5.3									
8.3 2.280 3.055 0.895 1.651 60.0551 10.617 235.5785 40.141 10.3 1.960 2.583 0.699 1.056 30.9167 5.379 151.0927 24.290 12.3 1.720 2.2756 0.593 0.676 19.5526 3.1545 104.713 15.558 14.3 1.650 2.1608 0.439 0.359 14.2379 2.320 60.083 10.361 18.3 1.650 2.1608 0.439 0.359 14.2379 2.320 60.083 10.361 18.3 1.650 2.01034 0.362 0.256 11.7275 1.949 52.548 8.401 20.3 1.650 2.0460 0.337 0.182 10.269 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.723 46.903 7.614 22.3 1.650 1.9878 0.286 0.126 7.2890 1.229 38.041 6.358 26.3 1.650 1.8788 0.286 0.126 7.2890 1.229 38.041 6.358 28.3 1.650 1.8789 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.7017 0.286 0.126 6.2735 1.072 37.935 6.332 32.3 1.650 1.7017 0.286 0.126 6.2735 1.072 37.935 6.332 32.3 1.650 1.595 0.286 0.126 5.7559 0.989 37.896 6.309 34.3 1.650 1.5869 0.286 0.126 4.8974 0.833 37.896 6.309 34.3 1.650 1.5895 0.286 0.126 5.3959 0.999 37.897 6.296 36.3 1.650 1.595 0.286 0.126 3.9793 0.699 37.897 6.286 38.3 1.650 1.595 0.286 0.126 3.9793 0.693 37.896 6.280 38.3 1.650 1.595 0.286 0.126 3.9793 0.693 37.897 6.286 38.3 1.650 1.595 0.286 0.126 3.9793 0.693 37.897 6.286 38.3 1.650 1.595 0.286 0.126 3.9793 0.693 37.897 6.286 38.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 3.250 40.43 3 1.900 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659   R, EI <sub>Cox</sub> 106, EA, 10-6, A, OK 10 <sup>6</sup> , Wt/in., I <sub>W</sub> Neutral axis EC <sub>W</sub> 106, 1.351 1.276 4.3 2.750 1.8500 0.575 0.286 0.267 0.888 3.221 5.773 4.5 3.3 3.097 61.355 12.338 6.425 0.864 3.553 3.499 6.85 3 3.1.780 6.252 3.9830 29.560 0.688 4.224 3.600 41.9.78 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 41.9.78 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 41.9.78 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 41.9.78 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 41.9.78 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 41.9.78 4.5 45.136 64.253 9.830 29.560 0.688 4.22	6.3									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										
12.3 1.720 2.2756 0.593 0.676 19.5626 3.1545 104.713 15.958 14.3 1.650 2.1628 0.516 0.469 16.6151 2.673 79.639 12.358 16.3 1.650 2.1608 0.439 0.359 14.2379 2.320 60.083 10.361 18.3 1.650 2.1034 0.362 0.256 11.7275 1.949 52.548 8.401 20.3 1.650 2.0460 0.337 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 22.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.014 6.389 28.3 1.650 1.8164 0.286 0.126 6.7259 1.249 38.014 6.349 38.3 1.650 1.8164 0.286 0.126 6.7259 1.249 38.014 6.349 38.3 1.650 1.7017 0.286 0.126 6.7715 1.159 37.975 6.336 39.3 1.650 1.7017 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.500 1.7017 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.5609 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.5609 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5609 0.286 0.126 5.3999 0.989 37.896 6.282 38.3 1.650 1.5609 0.286 0.126 3.9793 0.675 37.729 6.252 38.3 1.650 1.5809 0.286 0.126 3.9793 0.675 37.729 6.252 38.3 1.650 1.6647 0.304 0.126 7.7065 1.362 71.2332 11.276 38.3 1.590 1.6647 0.304 0.126 7.7065 1.362 71.2332 11.276 38.3 1.790 1.6647 0.304 0.126 7.7065 1.362 71.2332 11.276 38.3 1.790 1.6647 0.304 0.126 7.7065 1.362 71.2332 11.276 38.3 1.790 1.6647 0.304 0.126 7.7065 1.362 71.2332 11.276 38.3 1.790 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659										
$ \begin{array}{c} 14.3 & 1.650 & 2.2182 \\ 16.3 & 1.650 & 2.1608 \\ 0.139 & 0.359 \\ 0.136 & 0.377 \\ 0.136 & 0.377 \\ 0.136 & 0.387 \\ 0.137 & 0.382 \\ 0.231 & 1.650 \\ 0.21034 \\ 0.362 & 0.256 \\ 0.17275 \\ 0.194 & 0.252848 \\ 0.1031 \\ 0.31 & 1.650 \\ 0.2031 \\ 0.331 & 0.182 \\ 0.2690 & 1.723 \\ 0.1690 & 1.723 \\ 0.1690 & 1.723 \\ 0.2021 & 6.903 \\ 0.2031 & 0.377 \\ 0.182 & 10.2690 \\ 0.1723 & 1.650 \\ 0.2031 & 0.381 \\ 0.203 & 1.650 \\ 0.19312 & 0.286 \\ 0.126 & 7.2890 \\ 0.126 & 7.2890 \\ 0.126 & 7.2890 \\ 0.126 & 7.2890 \\ 0.126 & 7.2890 \\ 0.126 & 1.249 \\ 0.129 & 1.249 $										
16.3 1.650 2.1608 0.439 0.359 14.2379 2.320 60.083 10.361 18.3 1.650 2.1034 0.362 0.256 11.7275 1.949 52.548 8.401 20.3 1.650 2.0460 0.337 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 28.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.014 6.349 28.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.014 6.349 28.3 1.650 1.7017 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.7017 0.286 0.126 6.7715 1.159 37.975 6.332 32.3 1.650 1.7017 0.286 0.126 5.7859 0.989 37.896 6.309 34.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8974 0.761 37.778 6.256 38.3 1.650 1.5295 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659   R, EI <sub>Go</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>B</sub> , Neutral 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 3.1.787 6.810 17.627 15.747 1.233 5.746 3.488 157.90 48.3 13.087 61.355 12.338 6.425 0.864 3.553 3.459 6.854 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.599 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.599 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.599 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.599 2.077 3.378 25.68 10.3 3.995 33.485 5.554 0.52149 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 5.75 16.3 2.767 22.657 3.818 0.1936 0.396 0.366 1.052 3.224 7.73 16.3 2.767 22.657 3.818 0.1936 0.956 0.366 1.052 3.224 5.75 10.3 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.289 11.94 14.3 3.197 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 20.3 1.887 11.990 2.201 0.0609 0.154 0.557 3.419 2.12 30.3 1.897 11.944 2.226 0.0610 0.155 0.532 3.419 2.23 31.399 11.874 2.126 0.0610 0.155 0.532 3.410 2.26 31.3										
18.3 1.650 2.1034 0.362 0.256 11.7275 1.949 52.548 8.401 20.3 1.650 2.0460 0.337 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9312 0.286 0.126 7.6557 1.313 38.041 6.358 24.3 1.650 1.8738 0.286 0.126 7.6557 1.313 38.041 6.358 26.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.014 6.949 28.3 1.650 1.8709 0.286 0.126 6.2735 1.072 37.935 6.336 30.3 1.650 1.7590 0.286 0.126 6.2735 1.072 37.935 6.336 30.3 1.650 1.7590 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.650 1.6443 0.286 0.126 5.3369 0.909 37.857 6.296 36.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 3.9793 0.675 37.729 6.254 40.8 1.650 1.4577 0.286 0.126 5.979 1.009 43.986 7.241 40.8 1.650 1.4577 0.286 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 5.979 1.009 43.986 7.241 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659										
20.3 1.650 2.0460 0.337 0.182 10.2690 1.723 46.903 7.614 22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9312 0.286 0.126 7.2890 1.249 38.041 6.358 26.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.041 6.349 28.3 1.650 1.8164 0.286 0.126 6.7715 1.159 37.975 6.332 30.3 1.650 1.7590 0.286 0.126 6.2735 1.072 37.935 6.332 32.3 1.650 1.7017 0.286 0.126 5.7059 0.989 37.896 6.303 34.3 1.650 1.5443 0.286 0.126 5.7059 0.989 37.896 6.303 34.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.4774 0.761 37.778 6.296 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659   R, EI <sub>Co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>8</sub> , Separation, In. 1b/in. 4  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 15.90 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 15.90 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 15.90 6.3 31.987 61.355 12.338 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 0.0600 0.155 0.388 3.221 5.75 16.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 20.3 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.224 7.73 16.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 20.3 1.887 11.990 2.201 0.0609 0.155 0.593 3.410 2.26 2.3 1.387 11.990 2.201 0.0609 0.155 0.593 3.490 11.94 2.40 2.3134 1.399 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 2.40 3.1399 11.94										
22.3 1.650 1.9886 0.311 0.140 8.9609 1.520 42.021 6.934 24.3 1.650 1.9312 0.286 0.126 7.6557 1.313 38.041 6.358 26.3 1.650 1.8738 0.286 0.126 7.6557 1.313 38.041 6.358 28.3 1.650 1.8164 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.7590 0.286 0.126 6.2735 1.072 37.935 6.332 32.3 1.650 1.7017 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.5849 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.5849 0.286 0.126 5.3369 0.999 37.857 6.296 40.8 1.650 1.5849 0.286 0.126 4.4774 0.761 37.778 6.269 40.8 1.650 1.5295 0.286 0.126 4.4774 0.761 37.778 6.269 40.8 1.650 1.4977 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659   R, EI <sub>co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>g</sub> , Neutral axis EC <sub>W</sub> 10 <sup>6</sup> , separation, in. lb/in.² lb in.² lb/in.² lb/in. lb <sub>m</sub> ·in.²/in. in. lb/in. 4  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 8.3 31.287 6.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 31.287 6.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 31.3087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.299 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.224 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 20.3 1.887 15.228 2.724 0.0931 0.191 0.654 3.328 3.28 22.3 1.587 13.307 2.435 0.0605 0.151 0.504 3.498 3.423 1.98 22.3 1.587 13.307 2.455 0.0609 0.154 0.552 3.441 2.40 23.3 1.399 11.944 2.226 0.0610 0.155 0.537 3.414 2.40 24.3 1.394 11.942 2.226 0.0610 0.155 0.532 3.419 2.12 30.3 1.379 11.874 2.187 0.0606 0.152 0.591 3.499 3.499 1.72 30.3 1.379 11.874 2.187 0.0606 0.152 0.591 3.498 3.433 1.60 31.379 11.794 2.226 0.0610 0.155 0.532 3.419 2.12 30.3 1.379 11.944 2.226 0.0610 0.155 0.532 3.419 2.12 30.3 1.379 11.944 2.226 0.0610 0.155 0.532 3.419 2.12 30.3 1.379 11.944 2.226 0.0610 0.155 0.537 3.414 2.40 2.8 1.384 11.968 2.290 0.0602 0.199 0.492 3.436										
24.3 1.650 1.9312 0.286 0.126 7.6557 1.313 38.041 6.358   28.6.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.014 6.358   28.3 1.650 1.8164 0.286 0.126 7.2890 1.249 38.014 6.349   28.3 1.650 1.7590 0.286 0.126 6.7715 1.159 37.975 6.336   30.3 1.650 1.7590 0.286 0.126 6.2735 1.072 37.935 6.332   32.3 1.650 1.7017 0.286 0.126 5.7959 0.999 37.896 6.309   34.3 1.650 1.5869 0.286 0.126 5.3369 0.909 37.857 6.296   36.3 1.650 1.5955 0.286 0.126 4.8974 0.833 37.818 6.282   38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282   38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282   40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.779 6.252   40.8 1.650 1.4977 0.286 0.126 3.9793 0.675 37.779 6.252   40.8 1.650 1.4977 0.280 0.126 5.979 1.009 43.986 7.241   44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276   46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659     R, EI <sub>Co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>B</sub> , Neutral saxis separation, in. 1b/in. 4  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78   5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404,43   5.3 31.28 7.6810 17.627 15.747 1.233 5.746 3.488 157.90   8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85   10.3 6.908 43.929 7.983 1.627 15.747 1.233 5.746 3.488 157.90   8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85   10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68   10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68   10.3 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.221 7.73   18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.224 7.73   18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.224 7.73   18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.224 7.73   18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18   2.3 1.387 11.990 2.201 0.0609 0.154 0.552 3.419 2.12   30.3 1.885 15.228 2.724 0.0607 0.155 0.518 3.423 1.49 2.12   30.3 1.891 11.944 2.226 0.0611 0.156 0.537 3.414 2.40   2.63 1.394 11.947 2.226 0.0610 0.155 0.518 3.423 1.49   2.12 3.34 1.349 11.768 2.129 0.0602 0.159 0.498 3.433 1.60   3.43 1.349 11.768 2.299 0.0602										
26.3 1.650 1.8738 0.286 0.126 7.2890 1.249 38.014 6.349 28.3 1.650 1.8164 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.7590 0.286 0.126 6.7715 1.159 37.975 6.336 32.3 1.650 1.7017 0.286 0.126 5.7959 0.989 37.896 6.392 32.3 1.650 1.7017 0.286 0.126 5.7959 0.989 37.896 6.303 34.3 1.650 1.5869 0.286 0.126 5.3369 0.909 37.857 6.296 36.3 1.650 1.5869 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5959 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5959 0.286 0.126 4.8974 0.833 37.818 6.282 40.8 1.650 1.4577 0.286 0.126 4.8974 0.761 37.778 6.269 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659   R, EI <sub>co</sub> ×106, EA, 10 <sup>-6</sup> , A, GK 106, Wt/in., I <sub>θ</sub> , Separation, In. 1b/in. 4  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78  8.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85  12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 4.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.247 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.247 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.247 7.73 18.3 1.387 11.900 2.201 0.0609 0.154 0.552 3.419 2.12 30.3 1.387 11.990 2.201 0.0609 0.154 0.552 3.419 2.12 30.3 1.387 11.900 2.201 0.0609 0.154 0.552 3.419 2.12 30.3 1.387 11.900 2.201 0.0609 0.154 0.552 3.419 2.12 30.3 1.387 11.900 2.201 0.0609 0.154 0.552 3.419 2.12 30.3 1.389 11.944 2.266 0.0611 0.156 0.537 3.414 2.40 30.3 1.389 11.947 2.122 0.06060 0.155 0.532 3.416 2.26 30.3 1.389 11.947 2.122 0.06060 0.155 0.532 3.416 2.26 30.3 1.389 11.778 2.143 0.0603 0.150 0.498 3.433 1.60 30.3 1.394 11.758 2.111 0.0601 0.186 0.485 3.490 1.34 40.8 1.340 11.735 2.111 0.0601 0.186 0.485 3.490 1.34 40.8 1.340 11.735 2.111 0.0601 0.186 0.485 3.504 1.91 44.3 2.26528 18.456 3.370 0.1673 0.236 0.885 3.656 2.47										
28.3 1.650 1.8164 0.286 0.126 6.7715 1.159 37.975 6.336 30.3 1.650 1.7590 0.286 0.126 6.2735 1.072 37.935 6.332 32.3 1.650 1.7017 0.286 0.126 5.7959 0.980 37.857 6.393 34.3 1.650 1.6443 0.286 0.126 5.3369 0.909 37.857 6.296 34.3 1.650 1.5869 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 3.9793 0.675 37.729 6.252 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 40.8 1.650 1.4647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659  R, EI <sub>co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>θ</sub> , axis EC <sub>W</sub> 10 <sup>6</sup> , separation, in. 1b/in. 4  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 16.3 2.2767 22.657 3.818 0.1936 0.367 0.592 3.391 2.73 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 16.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 2.23 1.587 13.307 2.435 0.0756 0.170 0.592 3.391 2.73 24.3 1.399 11.944 2.226 0.0610 0.155 0.537 3.414 2.40 2.83 1.387 11.900 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.387 11.827 2.187 0.0607 0.159 0.504 3.429 1.72 30.3 1.387 11.821 2.187 0.0607 0.159 0.151 0.504 3.429 1.72 30.3 1.379 11.847 2.172 0.0606 0.152 0.511 3.426 1.85 34.3 1.384 11.735 2.111 0.0601 0.186 0.485 3.440 1.34 40.8 1.340 11.735 2.111 0.0601 0.186 0.485 3.440 1.34 40.8 1.340 11.735 2.111 0.0601 0.186 0.578 3.504 1.91 44.3 2.2528 18.466 3.370 0.1673 0.236 0.885 3.656 2.47									-	
30.3 1.650 1.7590 0.286 0.126 6.2735 1.072 37.935 6.332 32.3 1.650 1.7017 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.6443 0.286 0.126 5.7959 0.989 37.896 6.309 36.3 1.650 1.5869 0.286 0.126 4.8974 0.833 37.818 6.282 40.8 1.650 1.5295 0.286 0.126 4.8974 0.833 37.818 6.282 40.8 1.650 1.4577 0.286 0.126 4.8974 0.833 37.818 6.282 40.8 1.650 1.4577 0.286 0.126 4.4774 0.761 37.778 6.269 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659   R, EI <sub>co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>e</sub> , Neutral axis separation, 1b/in. 4  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.2245 7.73 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 2.23 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.28 2.3 1.887 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.389 11.788 2.180 0.0605 0.151 0.504 3.429 1.73 30.3 1.389 11.788 2.180 0.0605 0.151 0.504 3.429 1.72 30.3 1.389 11.788 2.190 0.0600 0.155 0.537 3.414 2.40 2.8.3 1.394 11.795 2.143 0.0603 0.150 0.498 3.433 1.60 30.3 1.394 11.795 2.143 0.0603 0.150 0.498 3.433 1.60 30.3 1.394 11.795 2.143 0.0603 0.150 0.498 3.433 1.60 30.3 1.394 11.796 2.216 0.0600 0.155 0.578 3.504 1.91 44.3 1.394 11.785 2.110 0.0601 0.166 0.578 3.504 1.91 44.3 1.394 11.785 2.111 0.0601 0.180 0.485 3.490 1.91										
32.3 1.650 1.7017 0.286 0.126 5.7959 0.989 37.896 6.309 34.3 1.650 1.6443 0.286 0.126 5.3369 0.909 37.8857 6.296 36.3 1.650 1.5869 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8974 0.761 37.778 6.269 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.244 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659  R, El <sub>Co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>g</sub> , Neutral axis EC <sub>W</sub> 10 <sup>6</sup> , in. 1b/in. <sup>2</sup> 1b in. <sup>2</sup> 1b/in. <sup>2</sup> 1b/in. 1b <sub>m</sub> ·in. <sup>2</sup> /in. in. 1b/in. <sup>4</sup> 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 31.087 61.355 12.388 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 22.3 1.587 13.307 2.435 0.0609 0.154 0.255 3.419 2.73 24.3 1.399 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 26.3 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 24.3 1.387 11.994 2.127 0.0606 0.152 0.511 3.426 1.85 34.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.493 1.398 32.3 1.372 11.847 2.172 0.0606 0.152 0.511 3.426 1.85 34.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.493 1.394 32.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.499 1.72 34.3 1.399 11.944 2.187 0.0607 0.153 0.518 3.499 1.72 34.3 1.399 11.944 2.187 0.0607 0.153 0.518 3.499 1.72 34.3 1.399 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 34.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.493 1.99 32.3 1.372 11.847 2.172 0.0606 0.152 0.511 3.426 1.85 34.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.499 1.72 34.3 1.368 13.147 2.176 0.0607 0.153 0.508 3.400 1.34 34.3 1.368 13.147 2.175 0.0607 0.153 0.508 3.400 1.34 34.3 1.368 13.147										
34.3 1.650 1.6443 0.286 0.126 5.3369 0.909 37.857 6.296 36.3 1.650 1.5869 0.286 0.126 4.8974 0.833 37.818 6.282 38.3 1.650 1.5295 0.286 0.126 4.8774 0.761 37.778 6.269 40.8 1.650 1.4577 0.286 0.126 3.9793 0.675 37.729 6.252 42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659  R, EI <sub>co</sub> ×10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, CK 10 <sup>6</sup> , Wt/in., I <sub>θ</sub> , Neutral axis EC <sub>W</sub> 10 <sup>6</sup> , separation, in. 1b/in.²  1b in.² 1b/in.² 1b in.² 1b/in.² 1b/in. 1b <sub>m</sub> ·in.²/in. in. 1b/in.⁴  4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 10.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 16.3 3.789 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 26.3 1.394 11.994 2.226 0.0610 0.155 0.532 3.416 2.26 28.3 1.387 11.990 2.201 0.0609 0.154 0.552 3.245 4.18 20.3 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.499 1.72 34.3 1.399 11.944 2.226 0.0610 0.155 0.537 3.414 2.40 26.3 1.394 11.996 2.216 0.0610 0.155 0.537 3.414 2.40 26.3 1.394 11.996 2.216 0.0610 0.155 0.537 3.414 2.40 26.3 1.394 11.996 2.216 0.0607 0.153 0.518 3.423 1.98 32.3 1.372 11.847 2.172 0.0606 0.152 0.511 3.426 1.85 34.3 1.349 11.768 2.129 0.0602 0.149 0.492 3.436 1.48 40.8 1.340 11.735 2.111 0.0601 0.148 0.495 3.496 3.496 1.34 40.8 1.340 11.735 2.111 0.0601 0.148 0.495 3.496 3.504 1.91 44.3 2.8528 18.456 3.370 0.1673 0.236 0.885 3.666 2.47										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										
38.3										
$ \begin{array}{c} 40.8 \\ 1.650 \\ 2.77 \\ 2.150 \\ $										
42.3 1.740 1.6647 0.304 0.126 5.979 1.009 43.986 7.241 44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659    R, $EI_{co} \times 10^6$ , $EA$ , $10^{-6}$ , $A$ , $GK$ $10^6$ , $Wt/in$ ., $I_{\theta}$ , $I_{\theta} \times In$ . $I_{\phi} \times In$ . $I$										
44.3 1.920 1.6970 0.410 0.126 7.7065 1.362 71.2332 11.276 46.3 2.150 1.8500 0.575 2.150 12.8540 2.269 135.6900 28.659  R, EI <sub>co</sub> *10 <sup>6</sup> , EA, 10 <sup>-6</sup> , A, GK 10 <sup>6</sup> , Wt/in., I <sub>θ</sub> , separation, in. 1b/in. <sup>4</sup> 4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3996 0.316 1.052 3.224 7.73 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 22.3 1.587 13.307 2.435 0.0756 0.170 0.592 3.391 2.73 24.3 1.399 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 26.3 1.394 11.990 2.201 0.0609 0.154 0.525 3.149 2.12 30.3 1.372 11.847 2.187 0.0607 0.153 0.518 3.429 1.72 30.3 1.372 11.847 2.187 0.0607 0.153 0.518 3.429 1.72 30.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.429 1.72 30.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.429 1.72 30.3 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.423 1.98 32.2 1.387 11.990 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.423 1.98 32.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.423 1.98 32.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.429 1.72 36.3 1.357 11.795 2.113 0.0601 0.148 0.485 3.440 1.34 40.8 1.340 11.735 2.111 0.0601 0.148 0.485 3.440 1.34 40.8 1.340 11.735 2.111 0.0601 0.148 0.485 3.440 1.34 40.8 1.340 11.735 2.111 0.0601 0.165 0.578 3.504 1.91										
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$										
R, $\mathrm{EI_{co}} \times 10^6$ , $\mathrm{EA}$ , $10^{-6}$ , A, $\mathrm{GK}$ $10^6$ , $\mathrm{Wt/in.}$ , $\mathrm{I_{9}}$ , $\mathrm{axis}$ $\mathrm{separation}$ , $\mathrm{ln.}$ $\mathrm{lb/in.}^2$ $\mathrm{lb}$ $\mathrm{in.}^2$ $\mathrm{lb/in.}^2$ $\mathrm{lb/in.}$ $\mathrm{lb_{m}\cdot in.}^2/\mathrm{in.}$ $\mathrm{in.}$ $\mathrm{lb/in.}^4$ $\mathrm{lb/in.}^4$ $\mathrm{lb/in.}^2$ $\mathrm{lb/in.}$ $\mathrm{lb_{m}\cdot in.}^2/\mathrm{in.}$ $\mathrm{in.}$ $\mathrm{lb/in.}^4$ $\mathrm{lb/in.}^4$ $\mathrm{lh/in.}^2$ $\mathrm{lb/in.}^2$ $\mathrm{lb/in.}$ $\mathrm{lb_{m}\cdot in.}^2/\mathrm{in.}$ $\mathrm{in.}$ $\mathrm{lb/in.}^4$ $\mathrm{lh/in.}^4$ $\mathrm{lh/in.}^4$ $\mathrm{lh/in.}^2$ $\mathrm{lb/in.}^2$ $\mathrm{lb/in.}^$										
R, $EI_{co} \times 10^{b}$ , $EA$ , $10^{-b}$ , $A$ , $GK \times 10^{b}$ , $Wt/in.$ , $I_{\theta}$ , $Separation$ , $Separ$	40.3	2.150	1.0500	0.57	5 2.	. 150	12.0540	2.269	135.6900	28.659
R, $EI_{co} \times 10^{b}$ , $EA$ , $10^{-b}$ , $A$ , $GK \times 10^{b}$ , $Wt/in.$ , $I_{\theta}$ , $Separation$ , $Separ$										
in.       1b/in.²	R,	EI <sub>co</sub> ×10 <sup>6</sup> ,	EA, 10 <sup>-6</sup> ,	Α,	GK 10 <sup>6</sup> ,	Wt/in.	Ι <sub>θ</sub> ,			10 <sup>6</sup> ,
4.5 45.135 64.253 9.830 29.560 0.688 4.224 3.600 419.78 5.3 36.241 81.147 19.408 26.215 1.359 6.632 3.550 404.43 6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 20.3 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.28 22.3 1.587 13.307 2.435 0.0756 0.170 0.592 3.391 2.73 24.3 1.399 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 26.3 1.394 11.926 2.216 0.0610 0.155 0.532 3.416 2.26 28.3 1.387 11.900 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.372 11.847 2.172 0.0606 0.152 0.511 3.426 1.85 34.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.429 1.72 36.3 1.357 11.795 2.143 0.0603 0.150 0.498 3.433 1.60 3.408 1.349 11.768 2.129 0.0602 0.149 0.492 3.436 1.48 40.8 1.340 11.735 2.111 0.0601 0.148 0.485 3.440 1.34 42.3 1.638 13.127 2.358 0.0734 0.165 0.578 3.504 1.91 44.3 2.8528 18.456 3.370 0.1673 0.236 0.885 3.656 2.47	in.	lb/in. <sup>2</sup>	lb	in. <sup>2</sup>	lb/in. <sup>2</sup>	lb/in.	lb <sub>m</sub> ·in. <sup>2</sup>	sepai /in.	ration, in. lb/	in. <sup>4</sup>
5.3       36.241       81.147       19.408       26.215       1.359       6.632       3.550       404.43         6.3       31.728       76.810       17.627       15.747       1.233       5.746       3.488       157.90         8.3       13.087       61.355       12.338       6.425       0.864       3.553       3.499       65.85         10.3       6.908       43.929       7.983       1.627       0.559       2.077       3.378       25.68         12.3       3.905       33.485       5.554       0.52145       0.389       1.338       3.289       11.94         14.3       3.197       27.440       4.518       0.3096       0.316       1.052       3.224       7.73         16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592 </td <td></td>										
6.3 31.728 76.810 17.627 15.747 1.233 5.746 3.488 157.90 8.3 13.087 61.355 12.338 6.425 0.864 3.553 3.499 65.85 10.3 6.908 43.929 7.983 1.627 0.559 2.077 3.378 25.68 12.3 3.905 33.485 5.554 0.52145 0.389 1.338 3.289 11.94 14.3 3.197 27.440 4.518 0.3096 0.316 1.052 3.224 7.73 16.3 2.767 22.657 3.818 0.1936 0.267 0.888 3.221 5.75 18.3 2.235 17.716 3.095 0.1134 0.217 0.725 3.245 4.18 20.3 1.885 15.228 2.724 0.0931 0.191 0.654 3.328 3.28 22.3 1.587 13.307 2.435 0.0756 0.170 0.592 3.391 2.73 24.3 1.399 11.944 2.226 0.0611 0.156 0.537 3.414 2.40 26.3 1.394 11.926 2.216 0.0610 0.155 0.532 3.416 2.26 28.3 1.387 11.900 2.201 0.0609 0.154 0.525 3.419 2.12 30.3 1.379 11.874 2.187 0.0607 0.153 0.518 3.423 1.98 32.3 1.372 11.847 2.172 0.0606 0.152 0.511 3.426 1.85 34.3 1.364 11.821 2.158 0.0605 0.151 0.504 3.429 1.72 36.3 1.357 11.795 2.143 0.0603 0.150 0.498 3.433 1.60 38.3 1.340 11.735 2.111 0.0601 0.148 0.485 3.440 1.34 42.3 1.638 13.127 2.358 0.0734 0.165 0.578 3.504 1.91 44.3 2.8528 18.456 3.370 0.1673 0.236 0.885 3.656 2.47	4.5	45.135		9.830	29.560	0.688	3 4.224	3	.600 41	9.78
8.3       13.087       61.355       12.338       6.425       0.864       3.553       3.499       65.85         10.3       6.908       43.929       7.983       1.627       0.559       2.077       3.378       25.68         12.3       3.905       33.485       5.554       0.52145       0.389       1.338       3.289       11.94         14.3       3.197       27.440       4.518       0.3096       0.316       1.052       3.224       7.73         16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.387       11.900       2.201       0.0609       0.154       0.525			81.147		26,215	1.359	6.632	3	.550 40	4.43
8.3       13.087       61.355       12.338       6.425       0.864       3.553       3.499       65.85         10.3       6.908       43.929       7.983       1.627       0.559       2.077       3.378       25.68         12.3       3.905       33.485       5.554       0.52145       0.389       1.338       3.289       11.94         14.3       3.197       27.440       4.518       0.3096       0.316       1.052       3.224       7.73         16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.387       11.900       2.201       0.0609       0.154       0.525	6.3	31.728	76.810		15.747	1.233	5.746	3	.488 15	7.90
10.3       6.908       43.929       7.983       1.627       0.559       2.077       3.378       25.68         12.3       3.905       33.485       5.554       0.52145       0.389       1.338       3.289       11.94         14.3       3.197       27.440       4.518       0.3096       0.316       1.052       3.224       7.73         16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525	8.3	13.087	61.355	12.338	6.425	0.864	3.553	3	.499 6	5.85
12.3       3.905       33.485       5.554       0.52145       0.389       1.338       3.289       11.94         14.3       3.197       27.440       4.518       0.3096       0.316       1.052       3.224       7.73         16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.847       2.172       0.0606       0.152       0.511	10.3	6.908	43.929	7.983	1.627	0.559	2.077	3		
14.3       3.197       27.440       4.518       0.3096       0.316       1.052       3.224       7.73         16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511	12.3	3.905	33.485	5.554	0.52145	0.389	1.338	3		
16.3       2.767       22.657       3.818       0.1936       0.267       0.888       3.221       5.75         18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504	14.3	3.197	27.440	4.518	0.3096	0.316	1.052			7.73
18.3       2.235       17.716       3.095       0.1134       0.217       0.725       3.245       4.18         20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498	16.3	2.767	22.657	3.818	0.1936	0.267	0.888	3		
20.3       1.885       15.228       2.724       0.0931       0.191       0.654       3.328       3.28         22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498       3.433       1.60         38.3       1.349       11.768       2.129       0.0602       0.149       0.492	18.3	2.235	17.716	3.095	0.1134	0.217		3		
22.3       1.587       13.307       2.435       0.0756       0.170       0.592       3.391       2.73         24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498       3.433       1.60         38.3       1.349       11.768       2.129       0.0602       0.149       0.492       3.436       1.48         40.8       1.340       11.735       2.111       0.0601       0.148       0.485	20.3	1.885	15.228		0.0931	0.191				
24.3       1.399       11.944       2.226       0.0611       0.156       0.537       3.414       2.40         26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498       3.433       1.60         38.3       1.349       11.768       2.129       0.0602       0.149       0.492       3.436       1.48         40.8       1.340       11.735       2.111       0.0601       0.148       0.485       3.440       1.34         42.3       1.638       13.127       2.358       0.0734       0.165       0.578	22.3	1.587								
26.3       1.394       11.926       2.216       0.0610       0.155       0.532       3.416       2.26         28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498       3.433       1.60         38.3       1.349       11.768       2.129       0.0602       0.149       0.492       3.436       1.48         40.8       1.340       11.735       2.111       0.0601       0.148       0.485       3.440       1.34         42.3       1.638       13.127       2.358       0.0734       0.165       0.578       3.504       1.91         44.3       2.8528       18.456       3.370       0.1673       0.236       0.885	24.3	1.399		2,226	0.0611	0.156				
28.3       1.387       11.900       2.201       0.0609       0.154       0.525       3.419       2.12         30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498       3.433       1.60         38.3       1.349       11.768       2.129       0.0602       0.149       0.492       3.436       1.48         40.8       1.340       11.735       2.111       0.0601       0.148       0.485       3.440       1.34         42.3       1.638       13.127       2.358       0.0734       0.165       0.578       3.504       1.91         44.3       2.8528       18.456       3.370       0.1673       0.236       0.885       3.656       2.47	26.3	1.394		2.216						
30.3       1.379       11.874       2.187       0.0607       0.153       0.518       3.423       1.98         32.3       1.372       11.847       2.172       0.0606       0.152       0.511       3.426       1.85         34.3       1.364       11.821       2.158       0.0605       0.151       0.504       3.429       1.72         36.3       1.357       11.795       2.143       0.0603       0.150       0.498       3.433       1.60         38.3       1.349       11.768       2.129       0.0602       0.149       0.492       3.436       1.48         40.8       1.340       11.735       2.111       0.0601       0.148       0.485       3.440       1.34         42.3       1.638       13.127       2.358       0.0734       0.165       0.578       3.504       1.91         44.3       2.8528       18.456       3.370       0.1673       0.236       0.885       3.656       2.47										
32.3     1.372     11.847     2.172     0.0606     0.152     0.511     3.426     1.85       34.3     1.364     11.821     2.158     0.0605     0.151     0.504     3.429     1.72       36.3     1.357     11.795     2.143     0.0603     0.150     0.498     3.433     1.60       38.3     1.349     11.768     2.129     0.0602     0.149     0.492     3.436     1.48       40.8     1.340     11.735     2.111     0.0601     0.148     0.485     3.440     1.34       42.3     1.638     13.127     2.358     0.0734     0.165     0.578     3.504     1.91       44.3     2.8528     18.456     3.370     0.1673     0.236     0.885     3.656     2.47										
34.3     1.364     11.821     2.158     0.0605     0.151     0.504     3.429     1.72       36.3     1.357     11.795     2.143     0.0603     0.150     0.498     3.433     1.60       38.3     1.349     11.768     2.129     0.0602     0.149     0.492     3.436     1.48       40.8     1.340     11.735     2.111     0.0601     0.148     0.485     3.440     1.34       42.3     1.638     13.127     2.358     0.0734     0.165     0.578     3.504     1.91       44.3     2.8528     18.456     3.370     0.1673     0.236     0.885     3.656     2.47										
36.3     1.357     11.795     2.143     0.0603     0.150     0.498     3.433     1.60       38.3     1.349     11.768     2.129     0.0602     0.149     0.492     3.436     1.48       40.8     1.340     11.735     2.111     0.0601     0.148     0.485     3.440     1.34       42.3     1.638     13.127     2.358     0.0734     0.165     0.578     3.504     1.91       44.3     2.8528     18.456     3.370     0.1673     0.236     0.885     3.656     2.47							_			
38.3     1.349     11.768     2.129     0.0602     0.149     0.492     3.436     1.48       40.8     1.340     11.735     2.111     0.0601     0.148     0.485     3.440     1.34       42.3     1.638     13.127     2.358     0.0734     0.165     0.578     3.504     1.91       44.3     2.8528     18.456     3.370     0.1673     0.236     0.885     3.656     2.47							-	•		
40.8     1.340     11.735     2.111     0.0601     0.148     0.485     3.440     1.34       42.3     1.638     13.127     2.358     0.0734     0.165     0.578     3.504     1.91       44.3     2.8528     18.456     3.370     0.1673     0.236     0.885     3.656     2.47							-			
42.3     1.638     13.127     2.358     0.0734     0.165     0.578     3.504     1.91       44.3     2.8528     18.456     3.370     0.1673     0.236     0.885     3.656     2.47										
44.3 2.8528 18.456 3.370 0.1673 0.236 0.885 3.656 2.47										
2.11	_									
	_						_			
									<del>.</del> .	

Table 3 C-45 Inputs for BMR on BO 105

mbol	Definition	Value	Units
	Fuselage mass	9.79	lb-sec <sup>2</sup> /in
'x	Fuselage roll inertia	4218.0	lb-sec <sup>2</sup> /in
x 'y	Fuselage pitch inertia	11790.0	lb-sec <sup>2</sup> /in
y 'xy	Fuselage product of inertia	0	lb-sec <sup>2</sup> /in
ху	Pylon mass	0	lb-sec <sup>2</sup> /in
	Pylon roll inertia	343.5	lb-sec <sup>2</sup> /in
x	Pylon pitch inertia	1218.5	lb-sec <sup>2</sup> /in
у	Pylon product of inertia	0	lb-sec <sup>2</sup> /ir
ху	Tail boom mass	0.2854	lb-sec <sup>2</sup> /in
	Tail-boom roll inertia	1040.0	lb-sec <sup>2</sup> /in
'x	Tail-boom pitch inertia	1735.0	lb-sec <sup>2</sup> /in
'y	Tail-boom yaw inertia	2775.0	lb-sec <sup>2</sup> /in
z	Tail-boom product of inertia	0	lb-sec <sup>2</sup> /in
хy	Tail-boom product of inertia	0	lb-sec <sup>2</sup> /ir
'xz	•	0	lb-sec <sup>2</sup> /ir
'yz	Tail-boom product of inertia	0	in.
•	Hub offset	22.03	in.
	Distance from hub center to first hinge	2.92	in.
:	Distance between first and second hinge		in.
}	Distance between second and third hinge	20.05	· ·
•	Horizontal distance to M <sub>f</sub>	14.57	in.
•	Vertical distance to M <sub>f</sub>	7.28	in.
?	Horizontal distance from A/C Ref axis to rotor shaft	0	in.
}	Horizontal distance from rotor shaft to tail hinge	106.3	in.
3	Vertical distance from A/C Ref axis to pylon hinge	19.68	in.
	Vertical distance from pylon hinge to hub center	41.77	in.
)	Horizontal distance from rotor shaft to $M_p$	0	in.
)	Vertical distance from pylon hinge to $M_{ m p}$	30.94	in.
;	Horizontal distance from tail hinge to $M_{ extsf{t}}$	110.24	in.
;	Vertical distance from tail hinge to $M_t$	23.61	in.
2	Vertical distance from A/C Ref axis to tail hinge	11.81	in.
l	Lateral distance from A/C Ref to aft landing gears	48.0	in.
2	Lateral distance from A/C Ref to fwd landing gears	48.0	in.
)	Vertical distance from A/C Ref to fwd landing gears	49.0	in.
1	Vertical distance from A/C Ref to aft landing gears	49.0	in.
1	Horizontal distance from A/C Ref axis to fwd landing gears	68.0	in.
3	Horizontal distance from rotor shaft axis to aft landing gears	33.0	in.
	Blade radius	193.37	in.
a	Blade cutout from hub center	52.0	in.
a 5	Nose-up pitch at hub center	12.5	deg
, 1	Nose-up pitch before first hinge	-2.34	deg
2	Nose-up pitch before second hinge	-0.722	deg

Table 3 Concluded

Symbol	Definition	Value	Units
<sup>θ</sup> 3	Nose-up pitch before third hinge	-5.0	deg
<sup>B</sup> o	Tip-up flap at hub center	-0.069	deg
8 <sub>1</sub>	Tip-up flap before first hinge	-0.116	deg
<sup>3</sup> 2	Tip-up flap before second hinge	-0.302	deg
<sup>3</sup> 3	Tip-up flap before third hinge	0.0213	deg
	blade Lock number	6.44	
a	Blade flapping inertia	1516.0	lb-sec <sup>2</sup> /in
	rotor speed	425.0	rpm
i	Number of blades	4	
Н1	Rotational spring around first hinge	99092.0	in./lb-rad
H2	Rotational spring around second hinge	690000.0	in./lb-rad
H3	Rotational spring around third hinge	40970.0	in./lb-rad
Φ <sub>X</sub>	Pylon roll spring	12883000.0	in./lb-rad
ΣΦ <sub>y</sub>	Pylon pitch spring	12833000.0	in./lb-rad
Φ <sub>ty</sub>	Tail vertical spring	5175900.0	in./lb-rad
Φty	Tail lateral spring	6563100.0	in./lb-rad
x 1	Longitudinal spring rate of aft gear	2218.0	in./lb
x2	Longitudinal spring rate of fwd gear	2218.0	in./lb
y 1	Lateral spring rate of aft gear	4113.0	in./lb
y2	Lateral spring rate of fwd gear	4113.0	in./lb
21	Vertical spring rate of aft gear	4113.0	in./lb
22	Vertical spring rate of fwd gear	4113.0	in./lb
Н1	Viscous damping around first hinge	0	1. = 100%
Н2	Viscous damping around second hinge	0.01	1. = 100%
Н3	Viscous damping around third hinge	0	1. = 100%
4	Blade tip-up flap after third hinge	1.68	deg

## Appendix B - Experimental Data

The experimental data tabulated in this appendix were obtained from Ref. 1. Table 4 provides the modal damping for Case 1 as a function of the collective pitch. This is the ground resonance condition with the original or unstiffened landing gear and corresponds to Fig. 41 (in part) of Ref. 1. Table 5 shows the modal damping as a function of collective pitch for Case 2, the ground resonance condition with the stiffened landing gear. These data also correspond to Fig. 41 of Ref. 1. The Case 3 data are shown in Table 6 where the modal damping data as a function of airspeed are given for 1-g flight. These data correspond to Fig. 48 of Ref. 1. The data for Case 4 correspond to Fig. 51 of Ref. 1 and are shown in Table 7. The modal data were obtained at a constant airspeed of 50 knots and the collective pitch was varied to change the rate of climb (or descent).

Table 4 Case 1 Regressing Lead-Lag
Mode Damping

Collective pitch, percent	ζ <sub>r</sub> , percent
17	0.9
17	1.033
20	1.77
24	2.36
31	2.47
31	2.48
38	3.26

Table 5 Case 2 Lead-Lag Regressing
Mode Damping

Collective pitch, percent	ζ <sub>r</sub> , percent
0	1.49
10	1.94
17	2.22
23	2.59
26	2.32
26	2.58
29	1.49
32	1.38
32	1.62
35	1.70
35	1.97
43	3.68
50	4.07

Table 6 Case 3 Regressing Lead-Lag
Mode Damping

V <sub>indicated</sub> , knots	ζ <sub>r</sub> , percent
0 20	6.03 3.68
20	3.73
40	3.08
50	3.48
50	3.30
60	3.96
60	3.77
70	3.95
70	4.27
80 80	4.22 5.46
80	4.39
80	4.12
90	5.55
90	6.23
100	6.28
100	5.07
106	5.21

Table 7 Case 4 Regressing Lead-Lag
Mode Damping

Collective pitch, percent	ζ <sub>r</sub> , percent
-1	2.00
5	1.62
6	0.97
8	1.09
11	1.42
11	1.89
14	1.37
16	1.27
17	2.02
20	1.44
23	1.75
25	2.12
28	1.82
29	2.20
32	2.14
35	2.45
37	3.30
41	3.30
41	3.48
43	1.77
48	3.59
54	4.96
55 59	3.95 4.35
58 60	4.35 3.96
δU	3.90
	<del></del>




Fig. 10 Terms of reference for program C-45.




Fig. 11 Individual comparison for Case 1 modal damping as a function of collective pitch.




Fig. 13 Individual comparison for Case 2 modal damping as a function of collective pitch.




Fig. 12 Composite comparison for Case 1 modal damping as a function of collective pitch.




Fig. 14 Composite comparison for Case 2 modal damping as a function of collective pitch.




Fig. 15 Individual comparison for Case 3 modal damping as a function of indicated air speed.




Fig. 16 Composite comparison for Case 3 modal damping as a function of indicated air speed.

# Appendix C - Correlation

All the theoretical predictions and experimental data are shown in this appendix. In some cases figures from the main text are repeated here for completeness. Two formats are used for the correlation. The first format compares the theoretical predictions and experimental data individually for each mathematical model used. In this format the actual calculated points are shown as solid symbols and the fairing between points was calculated by the experiment analysts and are shown as open symbols. The second format compares all the theoretical predictions on a single composite plot using the faired curve from the first format; the experimental data are shown as a stippled area. A code is used to identify the theoretical predictions for both the individual and composite comparisons and is explained in Table 8.




Fig. 17 Individual comparison for Case 4 modal damping as a function of collective pitch at 50 knots.




Fig. 18 Composite comparison for Case 4 modal damping as a function of collective pitch at 50 knots.

Table 8 Explanation of Prediction Codes

ID_	Prediction Method	User
ВН	DRAV21 (hover) C81 (forward flight)	Bell Helicopter Textron
BV SA <sub>3</sub>	C-90 C927-3	Boeing Vertol Sikorsky Aircraft